EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16816	sampl$3 near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:10
L2	683	1 same ((active or inactive or rising or falling or leading or trailing) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:13
L3	388	1 with ((active or inactive or rising or falling or leading or trailing) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:13
L4	97	2 same (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:30
L5	29	3 with (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:13
L6	690	1 same ((active or inactive or rising or falling or leading or trailing or alternat$5) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:59
L7	393	1 with ((active or inactive or rising or falling or leading or trailing or alternat$5) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:30
L8	97	6 same (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:33
L9	29	7 with (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:30

L10	2	8 same (dynamic$4 or periodic$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:33
L11	1	9 with (dynamic$4 or periodic$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:31
L12	3	8 and ((dynamic$4 or periodic$4) near3 delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:32
L13	1	9 and ((dynamic$4 or periodic$4) near3 delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:32
L14	2	2 same ((delay$3 near6 data) same (dynamic$4 or periodic$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:34
L15	1	3 with ((delay$3 near6 data) same (dynamic$4 or periodic$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:34
L16	50	1 same ((delay$3 near6 data) same (dynamic$4 or periodic$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:34
L17	7	1 with ((delay$3 near6 data) with (dynamic$4 or periodic$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 09:35
L18	5	("4756011" | "4841551" | "5230013" | "5278873" | "5668830").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/28 09:35
L19	4	("4756011" | "4821296" | "4841551" | "4949361").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/28 09:44
L20	31	("5278873").URPN.	USPAT	OR	OFF	2006/10/28 09:47

EAST Search History

L21	3	("4216544" | "4280099" | "4414676").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/28 09:58
L22	30	("4821296").URPN.	USPAT	OR	OFF	2006/10/28 10:00
L23	17	("3404232" | "3851101" | "3982184" | "4010323" | "4012598" | "4128812" | "4191998" | "4278898" | "4376309" | "4543531" | "4569065" | "4604582" | "4611335" | "4637037" | "4651108" | "4672639").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/28 10:05
L24	25	("4756011").URPN.	USPAT	OR	OFF	2006/10/28 10:32
L25	791	((align$5 or adjust$5 or correct$4) near6 data) same ((receiv$3 or local) adj clock)	USPAT	OR	OFF	2006/10/28 10:33
L26	376	((align$5 or adjust$5 or correct$4) near6 data) with ((receiv$3 or local) adj clock)	USPAT	OR	OFF	2006/10/28 10:33
L27	150	25 same (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:36
L28	58	26 with (delay$3 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:33
L29	12	27 same (dynamic$4 or periodic$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:34
L30	1	28 with (dynamic$4 or periodic$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:34
L31	33	25 same (delay$3 near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:37
L32	10	26 with (delay$3 near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:37

L33	11	31 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:38
L34	6	32 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:42
L35	5	32 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:42
L37	4	32 with 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:52
L38	8	31 same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:43
L39	154383	(hold$3 or stor$3 or writ$4) near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:28
L40	767	39 same (first adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:23
L41	555	39 with (first adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:54
L42	509	40 same (second adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:24
L43	249	41 with (second adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:54

L44	95	42 same (third adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:55
L45	29	43 with (third adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:55
L46	41	44 same (fourth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:56
L47	13	45 with (fourth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:56
L48	10	46 same (fifth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:21
L49	4	47 with (fifth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 10:57
L50	7	("6078546" | "6115322" | "6147926" | "6229757" | "6292410" | "6324119" | "6407963").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/28 11:06
L51	6	("6728162").URPN.	USPAT	OR	OFF	2006/10/28 11:10
L52	19	40 same ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:20
L53	10	41 with ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:18
L54	13	52 same (second adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:17

L55	5	53 with (second adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:16
L56	1	44 same ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:50
L57	0	45 with ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:16
L58	821	39 same ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:35
L59	442	39 with ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:20
L60	284	58 same ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:37
L61	112	59 with ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:20
L62	1	60 same (fifth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:21
L63	0	61 with (fifth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:21
L64	0	61 and (fifth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:21

L65	1	60 same (fourth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:21
L66	11	60 and (fourth adj (register$1 or latch$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:22
L67	1225	39 same (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:52
L68	914	39 with (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:23
L69	807	67 same (second adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:24
L70	420	68 with (second adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:25
L71	118	69 same (third adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:38
L72	36	70 with (third adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:25
L73	47	71 same (fourth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:41
L74	14	72 with (fourth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:26

L75	10	73 same (fifth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:27
L76	4	74 with (fifth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:26
L77	8809	((hold$3 or stor$3 or writ$4) near6 data) same (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:36
L78	13449	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) same (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:51
L79	10139	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) with (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:35
L80	192	78 same ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:36
L81	83	79 with ((active or rising or leading) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:36
L82	8191	((hold$3 or stor$3 or writ$4) near6 data) same (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:36
L83	6150	((hold$3 or stor$3 or writ$4) near6 data) with (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:36

EAST Search History

L84	12468	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) same (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:37
L85	9378	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) with (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:37
L86	114	84 same ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:38
L87	54	85 with ((inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:38
L88	63	80 same 86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:38
L89	27	81 with 87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:38
L90	21	88 same (third adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:39
L91	2	89 with (third adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:39
L92	4	90 same (fourth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:41

L93	0	91 with (fourth adj (register$1 or latch$3 or buffer$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:41
L94	9925	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) same ((active or rising or leading or inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:55
L95	5581	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) with ((active or rising or leading or inactive or falling or trailing) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:51
L96	222	94 same (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:52
L97	96	95 with (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:52
L98	132	96 same (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:56
L99	44	97 with (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:53
L100	32	98 same (third adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:53
L101	3	99 with (third adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:53

EAST Search History

L102	7	100 same (fourth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:54
L103	0	101 with (fourth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:54
L104	2	102 same (fifth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:54
L105	13449	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) same (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:01
L106	10139	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) with (first adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:56
L107	8664	105 same (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:56
L108	5250	106 with (second adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:56
L109	1523	107 same (third adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:57
L110	658	108 with (third adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:57

L111	489	109 same (fourth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:57
L112	171	110 with (fourth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:57
L113	128	111 same (fifth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:57
L114	45	112 with (fifth adj (register$1 or latch$3 or buffer$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 11:58
L115	2	113 same ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:04
L116	0	114 with ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:00
L117	22	113 and ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:00
L118	10	114 and ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:00
L119	15633	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) same (first adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:03

EAST Search History

L120	11769	((hold$3 or stor$3 or writ$4 or rece$5 or input$4 or get$4 or accept4 or enter$3 or put$4 or plac$3 or coupl$3 or connect$3) near6 data) with (first adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:02
L121	9996	119 same (second adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:03
L122	6011	120 with (second adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:03
L123	1812	121 same (third adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:03
L124	764	122 with (third adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:03
L125	584	123 same (fourth adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:04
L126	200	124 with (fourth adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:04
L127	158	125 same (fifth adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:04
L128	52	126 with (fifth adj (register$1 or latch$3 or buffer$1 or (flip adj flop$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:04

EAST Search History

L129	6	127 same ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:19
L130	0	128 with ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:05
L131	36	127 and ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:09
L132	13	128 and ((active or inactive or rising or falling or leading or trailing or alternat$5) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:09
L133	6	127 same ((active or inactive or rising or falling or leading or trailing or alternat$5 or high or low or positive or negative) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:22
L134	0	128 with ((active or inactive or rising or falling or leading or trailing or alternat$5 or high or low or positive or negative) near6 (clock near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:20
L135	11	127 same (synchroniz$5 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:23
L136	0	128 with (synchroniz$5 near6 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:23
L137	35	127 and (synchroniz$5 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:24
L138	8	128 and (synchroniz$5 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/28 12:25